

Date: Wednesday, 9/12/2007 12:13:50 PM
User: Kim Johnston

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services	Drawing Name : RING
Job Number : 34613	
Estimate Number : 10608	
P.O. Number : <i>N/A</i>	Part Number : D2655
This Issue : 9/12/2007 S.O. No. : <i>N/A</i>	Drawing Number : D2655 REV B
Prsht Rev. : NC	Project Number : N/A
First Issue : <i>N/A</i> Type : PURCHASED PARTS	Drawing Revision : B
Previous Run : 33351	Material : <i>N/A</i>
Written By : <i>[Signature]</i>	Due Date : 9/30/2007
Checked & Approved By : <i>[Signature]</i>	Qty: <i>50</i> Um: Each
Comment : Est. D 00/06/22 Removed P/O for powder coat EC Est Rev:E Now on Waterjet 06-10-04 JLM	

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

1.0	M1018B400X250	Inventory
-----	---------------	-----------



Comment: Qty.: 0.2835 f(s)/Unit Total : 5.6700 f(s)
1018 ASTM A36 .250" thk bar x 4.0"
Batch: *M105358 IB 07-09-13*

2.0	WATER JET	FLOW WATER JET
-----	-----------	----------------



(P10) →

Comment: FLOW WATER JET
1-Cut as per Dwg D2655
Dwg Rev: *B* *IB 07-09-13*
Prog Rev: *B*

2-Deburr if necessary */open holes to 0.257"*

7/09/19 50

3.0	QC2	INSPECT PARTS AS THEY COME OFF MACHINE
-----	-----	--



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

50

4.0	QC8	SECOND CHECK
-----	-----	--------------



Comment: SECOND CHECK

EN 07/09/19 450

5.0	SMALL FAB 1	SMALL & MEDIUM FAB RESOURCE 1
-----	-------------	-------------------------------



Comment: SMALL & MEDIUM FAB RESOURCE 1
1-Tumble - .030 Radius
2-Deburr any rough edges after tumbling

7/09/19 50

W/O:		WORK ORDER CHANGES							
DATE	STEP	PROCEDURE CHANGE		By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes (No) DQA: DD Date: 07/09/24
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			
07-09-23	2	PIECE MOVED ON TABLE, 2 PIECES NO good RC. clamps were not tight enough.	<i>[Signature]</i> 07/04/24	REPLACED SCRAPED DESTROYED	<i>[Signature]</i> 07-09-23	<i>[Signature]</i> 07/09/17	<i>[Signature]</i> 07/04/24	<i>[Signature]</i> 07/04/13

NOTE: Date & initial all entries

Date: Wednesday, 9/12/2007 12:13:50 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: RING

Job Number: 34613

Part Number: D2655

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

En 07/01/15

7.0

POWDER COATING

POWDER COATING



M 105068



(50X)

Comment: POWDER COATING

Powder Coat per QSI 005 4.3.5.1

M-h 07/09/20

8.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

07/09/24 (50)

9.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: _____

07/09/24 (50)

10.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

07/09/24 (50)

Job Completion



U 07-09-24

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE		By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)							
DATE	STEP	Description of NC Section A	Corrective Action		Section B		Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng		Sign & Date			

NOTE: Date & initial all entries



DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE USA, INC. FAIRCHILD INTERNATIONAL AIRPORT, WA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D2655	REV. B SHEET 1 OF 1
DATE 97:07:07		TITLE RING	SCALE 1:1
A	97:03:25	NEW ISSUE	
B	97:07:07	ADD ASTM A36 TO MAT. SPEC.	

RELEASED
47/07/11 DS



NOTE: DEBURR ALL SHARP EDGES
MATERIAL: AISI 1018/1020/1025 OR ASTM A36 0.250 THICK
FINISH: POWDER COAT PER DART QSI 005 4.3
TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

Copyright 1997 by DART AEROSPACE USA, INC.

SHOP COPY
RETURN TO
ENGINEERING
INCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 34613

